

GPC3 Monoclonal Antibody

Description

Product type	Antibody
Code	BT-MCA2483
Host	Mouse
Isotype	Mouse IgG1
Size	100µL, 50µL
Immunogen	Purified recombinant fragment of human GPC3 (AA: 359-554) expressed in E. Coli.
Mol wt	65.5kDa
Species reactivity	Others
Clonality	Monoclonal
Recommended application	WB,IHC,FCM
Concentration	N/A
Full name	N/A
Synonyms	SGB;DGSX;MXR7;SDYS;SGBS;OCI-5;SGBS1;GTR2-2

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

Cell surface heparan sulfate proteoglycans are composed of a membrane-associated protein core substituted with a variable number of heparan sulfate chains. Members of the glypican-related integral membrane proteoglycan family (GRIPS) contain a core protein anchored to the cytoplasmic membrane via a glycosyl phosphatidylinositol linkage. These proteins may play a role in the control of cell division and growth regulation. The protein encoded by this gene can bind to and inhibit the dipeptidyl peptidase activity of CD26, and it can induce apoptosis in certain cell types. Deletion mutations in this gene are associated with Simpson-Golabi-Behmel syndrome, also known as Simpson dysmorphism syndrome. Alternative splicing results in multiple transcript variants.

Recommended Dilution

WB: 1:500 - 1:2000


IHC-p: 1:200-1:1000

FCM: 1:200-1:400


ELISA: 1:10000

Not yet tested in other applications.


Images




Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)




Western blot analysis using GPC3 mAb against human GPC3 (AA: 359-554) recombinant protein. (Expected MW is 25 kDa)




Western blot analysis using GPC3 mAb against HEK293-6e (1) and GPC3 (AA: 359-554)-hIgGFc transfected HEK293-6e (2) cell lysate.




Western blot analysis using GPC3 mouse mAb against HEK293 (1) cell lysate.



Flow cytometric analysis of HeLa cells using GPC3 mouse mAb (green) and negative control (red).



Flow cytometric analysis of HepG2 cells using GPC3 mouse mAb (green) and negative control (red).



Immunohistochemical analysis of paraffin-embedded liver cancer tissues using GPC3 mouse mAb with DAB staining.

Storage

Store at 4°C short term. Aliquot and store at -20°C long term.

501 Changsheng S Rd, Nanhui Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com