

XRN2 Monoclonal Antibody

Description

Product type Antibody

Code BT-MCA3026

Host Mouse

 $\begin{tabular}{ll} \textbf{Isotype} & Mouse IgG1 \\ \\ \textbf{Size} & 100 \mu L, 50 \mu L \\ \end{tabular}$

Immunogen Purified recombinant fragment of human XRN2 (AA: 398-547) expressed in E. Coli.

Mol wt 108.5kDa

Species reactivity Human

Clonality Monoclonal

Recommended application WB,IHC

Concentration N/A

 $\label{eq:synonyms} \begin{tabular}{ll} Full name & N/A \\ \\ Synonyms & N \\ \end{tabular}$

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


N/A

Recommended Dilution


WB: 1:500 - 1:2000 IHC-p: 1:200 - 1:1000 ELISA: 1:10000

Not yet tested in other applications.

Images




Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)




Western blot analysis using XRN2 mAb against human XRN2 (AA: 398-547) recombinant protein. (Expected MW is 43.1~kDa)


Western blot analysis using XRN2 mAb against HEK293 (1) and XRN2 (AA: 398-547)-hIgGFc transfected HEK293 (2) cell lysate.



Western blot analysis using XRN2 mouse mAb against HEK293 (1), NTERA-2 (2), LNcap (3), HepG2 (4), and PC-3 (5) cell lysate.



 $Immun ohistochemical \ analysis \ of paraffin-embedded \ esophageal \ cancer \ tissues \ using \ XRN2 \ mouse$ $mAb \ with \ DAB \ staining.$



 $Immun ohistochemical \ analysis \ of paraffin-embedded \ rectum \ cancer \ tissues \ using \ XRN2 \ mouse \ mAb$ with DAB staining.

Storage

Store at 4°C short term. Aliquot and store at -20°C long term.

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com