

CD352 Monoclonal Antibody

Description

Product type	Antibody
Code	BT-MCA3063
Host	Mouse
Isotype	Mouse IgG1
Size	100μL, 50μL
Immunogen	Purified recombinant fragment of human CD352 (AA: extra 22-226) expressed in E. Coli.
Mol wt	37.4kDa
Species reactivity	Human
Clonality	Monoclonal
Recommended application	Others
Concentration	N/A
Full name	N/A
Synonyms	SLAMF6;KALI;NTBA;KALIb;Ly108;NTB-A;SF2000

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


Background

The protein encoded by this gene is a type I transmembrane protein, belonging to the CD2 subfamily of the immunoglobulin superfamily. This encoded protein is expressed on Natural killer (NK), T, and B lymphocytes. It undergoes tyrosine phosphorylation and associates with the Src homology 2 domain-containing protein (SH2D1A) as well as with SH2 domain-containing phosphatases (SHPs). It functions as a coreceptor in the process of NK cell activation. It can also mediate inhibitory signals in NK cells from X-linked lymphoproliferative patients. Alternative splicing results in multiple transcript variants encoding distinct isoforms.


Recommended Dilution

WB: 1:500 - 1:2000 ELISA: 1:10000 Not yet tested in other applications.


Images



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line:Antigen (100 ng)



Western blot analysis using CD352 mAb against human CD352 (AA: extra 22-226) recombinant protein. (Expected MW is 49 kDa)



Western blot analysis using CD352 mAb against HEK293 (1) and CD352 (AA: extra 22-226)-hIgGFc transfected HEK293 (2) cell lysate.

Store at 4°C short term. Aliquot and store at -20°C long term.

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com