

NEDD8 Monoclonal Antibody

Description

Product type Antibody

Code BT-MCA3074

Host Mouse

 Isotype
 Mouse IgG1

 Size
 100μL, 50μL

Immunogen Purified recombinant fragment of human NEDD8 expressed in E. Coli.

Mol wt 9kDa

Species reactivity Human

Clonality Monoclonal

Recommended application IHC,ICC,FCM

Concentration N/A

 $\textbf{Full name} \hspace{1cm} N/A$

Synonyms NEDD-8

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


Ubiquitin-like protein which plays an important role in cell cycle control and embryogenesis. Covalent attachment to its substrates requires prior activation by the E1 complex UBE1C-APPBP1 and linkage to the E2 enzyme UBE2M. Attachment of NEDD8 to cullins activates their associated E3 ubiquitin ligase activity, and thus promotes polyubiquitination and proteasomal degradation of cyclins and other regulatory proteins. Tissue specificity: Highly expressed in heart, skeletal muscle, spleen, thymus, prostate, testis, ovary, colon and leukocytes.

Recommended Dilution


WB: 1:500 - 1:2000 IHC-p: 1:200 - 1:1000 ICC: 1:200 - 1:1000 FCM: 1:200 - 1:400 ELISA: 1:10000

Not yet tested in other applications.


Images




Western blot analysis using NEDD8 mAb against human NEDD8 (AA: 1-81) recombinant protein. (Expected MW is 40 kDa)




Immunohistochemical analysis of paraffin-embedded cervical cancer tissues using NEDD8 mouse mAb with DAB staining.



Immunofluorescence analysis of Hela cells using NEDD8 mouse mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



Flow cytometric analysis of Hela cells using NEDD8 mouse mAb (green) and negative control (red).



Black line: Control Antigen (100 ng); Purple line: Antigen(10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng);

Storage

Store at 4°C short term. Aliquot and store at -20°C long term.

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com