

USP7 Monoclonal Antibody

Description

Product type Antibody

Code BT-MCA3534

Host Mouse

 Isotype
 Mouse IgG2b

 Size
 100μL, 50μL

Immunogen Purified recombinant fragment of human USP7 (AA: 1-208) expressed in E. Coli.

Mol wt 128kDa

Species reactivity Others

Clonality Monoclonal

Recommended application WB,IHC,ICC,FCM

Concentration N/A
Full name N/A

Synonyms TEF1;HAUSP;HAFOUS

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


The protein encoded by this gene belongs to the peptidase C19 family, which includes ubiquitinyl hydrolases. This protein deubiquitinates target proteins such as p53 (a tumor suppressor protein) and WASH (essential for endosomal protein recycling), and regulates their activities by counteracting the opposing ubiquitin ligase activity of proteins such as HDM2 and TRIM27, involved in the respective process. Mutations in this gene have been implicated in a neurodevelopmental disorder. [provided by RefSeq, Mar 2016]

Recommended Dilution

WB: 1:500 - 1:2000 IHC-p: 1:200 - 1:1000 ICC: 1:200 - 1:1000 FCM: 1:200 - 1:400 ELISA: 1:10000

Not yet tested in other applications.


Images




Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)




Western blot analysis using USP7 mAb against human USP7 (AA: 1-208) recombinant protein. (Expected MW is 27 kDa)




Western blot analysis using USP7 mAb against HEK293 (1) and human USP7 (AA:1-208)-hIgGFc transfected HEK293-6e (2) cell lysate.




Western blot analysis using USP7 mouse mAb against Hela (1), A431 (2), MCF-7 (3), Jurkat (4), K562 (5), HepG2 (6), A549 (7), HCT116 (8), HT-29 (9), SW480 (10), C6 (11), COS-7 (12), and NIH/3T3 (13) cell lysate.




Immunofluorescence analysis of Hela cells using mouse USP7 mAb (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor- 555 phalloidin. Secondary antibody from Fisher (Cat#: 35503)




Flow cytometric analysis of Hela cells using USP7 mouse mAb (green) and negative control (red).




Flow cytometric analysis of HepG2 cells using USP7 mouse mAb (green) and negative control (red).




Flow cytometric analysis of Jurlat cells using USP7 mouse mAb (green) and negative control (red).



Flow cytometric analysis of K562 cells using USP7 mouse mAb (green) and negative control (red).



Immunohistochemical analysis of paraffin-embedded cervical carcinoma tissues using USP7 mouse mAb with DAB staining.



Immunohistochemical analysis of paraffin-embedded rectal cancer tissues using USP7 mouse mAb with DAB staining.

Storage

Store at 4°C short term. Aliquot and store at -20°C long term.

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com