

## **TNFSF9** Monoclonal Antibody

## Description

Product type	Antibody
Code	BT-MCA4048
Host	Mouse
Isotype	Mouse IgG1
Size	100μL, 50μL
Immunogen	Purified recombinant fragment of human TNFSF9 (AA: Extra(50-254)) expressed in E. Coli.
Mol wt	27kDa
Species reactivity	Others
Clonality	Monoclonal
Recommended application	FCM
Concentration	N/A
Full name	N/A
Synonyms	CD137L;TNLG5A;4-1BB-L

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


## Background

The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This transmembrane cytokine is a bidirectional signal transducer that acts as a ligand for TNFRSF9/4-1BB, which is a costimulatory receptor molecule in T lymphocytes. This cytokine and its receptor are involved in the antigen presentation process and in the generation of cytotoxic T cells. The receptor TNFRSF9/4-1BB is absent from resting T lymphocytes but rapidly expressed upon antigenic stimulation. The ligand encoded by this gene, TNFSF9/4-1BBL, has been shown to reactivate anergic T lymphocytes in addition to promoting T lymphocyte proliferation. This cytokine has also been shown to be required for the optimal CD8 responses in CD8 T cells. This cytokine is expressed in carcinoma cell lines, and is thought to be involved in T cell-tumor cell interaction.

## **Recommended Dilution**


WB: 1:500 - 1:2000 FCM: 1:200 - 1:400 ELISA: 1:10000 Not yet tested in other applications.

Images



Black line: Control Antigen (100 ng);Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)

Western blot analysis using TNFSF9 mAb against human TNFSF9 (AA: Extra(50-254)) recombinant protein. (Expected MW is 24.3kDa)



Western blot analysis using TNFSF9 mAb against HEK293-6e (1) and TNFSF9 (AA: Extra(50-254)) transfected HEK293-6e (2) cell lysate.

Flow cytometric analysis of Raji cells using TNFSF9 mouse mAb (green) and negative control (red).

Flow cytometric analysis of Jurkat cells using TNFSF9 mouse mAb (green) and negative control (red).

Storage Store at 4°C short term. Aliquot and store at -20°C long term.

> 501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com