

CD172G Monoclonal Antibody

Description

Product type Antibody

Code BT-MCA4779

Host Mouse

 Isotype
 Mouse IgG1

 Size
 100μL, 50μL

Immunogen Purified recombinant fragment of human CD172G (AA: extra 29-360) expressed in E. Coli.

Mol wt 42.5kDa

Species reactivity Human

Clonality Monoclonal

Recommended application FCM

Concentration N/A

Full name N/A

Synonyms SIRPG;SIRPB2;SIRP-B2;bA77C3.1;SIRPgamma

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


The protein encoded by this gene is a member of the signal-regulatory protein (SIRP) family, and also belongs to the immunoglobulin superfamily. SIRP family members are receptor-type transmembrane glycoproteins known to be involved in the negative regulation of receptor tyrosine kinase-coupled signaling processes. Alternatively spliced transcript variants encoding different isoforms have been described.

Recommended Dilution


WB: 1:500 - 1:2000 FCM: 1:200 - 1:400 ELISA: 1:10000

Not yet tested in other applications.


Images




Black line: Control Antigen (100 ng); Purple line: Antigen (10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)



Western blot analysis using CD172G mAb against human CD172G (AA: extra 29-360) recombinant protein. (Expected MW is $62.6~\mathrm{kDa}$)



Western blot analysis using CD172G mAb against HEK293 (1) and CD172G (AA: extra 29-360)-hIgGFc transfected HEK293 (2) cell lysate.



Flow cytometric analysis of HL-60 cells using CD172G mouse mAb (green) and negative control (red).

Storage

Store at 4°C short term. Aliquot and store at -20°C long term.

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com